


GM 50 Intermediate Channel

GM 50 Intermediate Channel




Description:

GM 50 Intermediate Channel is an integral part of the Gypsum suspended ceiling system. It serves as the main member and is hung from the Soffit using a Ceiling angle, Soffit Cleat & Fasteners. Positioned perpendicularly to the ceiling section, it features connecting clips at each intersection, ensuring the sections remain securely in place.


These channels are rolled and formed using specially designed automatic machines.

Products properties:

Description	Unit	Range
Flange (A)	mm	15 (+/-0.50)
Flange (B)	mm	15 (+/-0.50)
Web (C)	mm	40mm (+/- 0.50)
Thickness (C)	mm	0.50mm (+/- 0.05)
Standard Length	mm	3660(+/-5)
Yield strength	MPA	Min.285

Drawing:**False Ceiling GM 50 Intermediate Channel framing:**

- The GM 50 Intermediate Channel spaced at 915mm centers as per the design of the ceiling system.

**Safety:**

While handling & cutting of GM 50 Intermediate Channel, please adhere to the safety guidelines & wear the essential PPE.

RIGHTS OWNED BY
GYPMAN TECH COMPANY LIMITED

9/9 @Sathorn building Floor 16 Zone A, Sathorn Tai Rd,
Yannawa, Sathorn, Bangkok 10120 Thailand